

DOWNLIGHT SERIES


downlight inbow series




IP20



a type of ceiling luminaire, usually fully recessed where most of the light is direct downward. may feature an open reflector and/or shielding device.




W DLR-125 H 701 LC




TYPE	DIMENSION (mm)		
	D	D1	H
RD 125	150	125	180
RD 150	175	150	180
RD 175	195	175	180

W DLR-150 EC H 702 LC




TYPE	DIMENSION (mm)		
	D	D1	H
RD 125 EC	150	125	180
RD 150 EC	175	150	180
RD 175 EC	195	175	180

W DLR-175 H H 703 LC




TYPE	DIMENSION (mm)		
	D	D1	H
RD 150 H	175	150	110
RD 175 H	195	165	110

W DLR-150 GL H 704 LC




TYPE	DIMENSION (mm)		
	D	D1	H
RD 150 H	175	150	110
RD 175 H	195	165	110

W DLR-110 MHNTD H 705 LC




TYPE	DIMENSION (mm)		
	D	D1	H
70 W	155	110	75
150 W	220	175	100


W DLR-175 H H 706 LC



W DLR-A H 707 LC



W DLR-SQ H 708 LC



DOWNLIGHT
RECESSED LIGHT

downlight
series

office
light

outdoor
luminaire

flood and
spot light

street and
solar cell

wall and
pendat

downlight
series

office
light


outdoor
luminaire

flood and
spot light


street and
solar cell

wall and
pendat


W DLR-KEONG H 709 LC




W DLR-MTAK H 710 LC




W DLR-KEONG CMD-T H 711 LC



W DLR-COMET RH H 712 LC



W DLR-Wall Washer H 713 LC



W DLR-PINHOLE RH H 714 LC



DIMENSION (mm)

D	H
108	98




W DLR-DEEP R1 H 715 LC



DIMENSION (mm)

W	H	L
158	200	158
158	200	308
158	200	460


ROSET PLAT H 717 LC



DIMENSION (mm)

D	H
92	62

W DLR-DEEP TRIM 1H 716 LC



DIMENSION (mm)

W	H	L
158	200	158
158	200	308
158	200	460



downlight
series

office
light

outdoor
luminaire

flood and
spot light

street and
solar cell

wall and
pendat